

<p style="text-align: center;">MONSANTO Europe S.A. Safety Data Sheet Commercial Product</p>

1. PRODUCT AND COMPANY IDENTIFICATION

Product name

Roundup® Max

CLP Annex VI Index No.

Not applicable.

C&L ID No.

Not available.

EC No.

Not applicable.

REACH Reg. No.

Not applicable.

CAS No.

Not applicable.

Product use

Herbicide

Chemical name

Not applicable.

Synonyms

None.

Company/(Sales office)

MONSANTO Europe S.A.
Haven 627, Scheldelaan 460, B-2040
Antwerp, Belgium

Telephone: +32 (0)3 568 51 11

Fax: +32 (0)3 568 50 90

E-mail:

safety.datasheet@monsanto.com

Emergency numbers

Telephone: Belgium +32 (0)3 568 51 23 UK and Ireland: 01865 407333

2. HAZARDS IDENTIFICATION

This mixture has not yet been classified according to Regulation (EC) No. 1272/2008

EU label (manufacturer self-classification) - Classification/Labeling following the EU Dangerous Preparations' Directive 1999/45/EC.

Xi - Irritant, N - Dangerous for the environment

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S35 This material and its container must be disposed of in a safe way.

S39 Wear eye/face protection.

S57 Use appropriate containment to avoid environmental contamination.

National classification/labelling - U.K.

Xi - Irritant, N - Dangerous for the environment

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S35 This material and its container must be disposed of in a safe way.
S39 Wear eye/face protection.
S57 Use appropriate containment to avoid environmental contamination.

Potential health effects

Likely routes of exposure

Skin contact

Eye contact, short term

Irreversible eye effects observed in laboratory animals.

Not expected to produce significant adverse eye effects as contact with the granule is unlikely when recommended use instructions are followed.

Skin contact, short term

Not expected to produce significant adverse effects when recommended use instructions are followed.

Inhalation, short term

Not expected to produce significant adverse effects when recommended use instructions are followed.

Medical conditions aggravated by exposure

Hypersensitivity to sulphiting agents.

Note

A very small percentage of particularly sensitive people may suffer skin or respiratory reactions.

Potential environmental effects

Toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

Not a persistent, bioaccumulative or toxic (PBT) nor a very persistent, very bioaccumulative (vPvB) mixture.

Refer to section 11 for toxicological and section 12 for environmental information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Active ingredient

Ammonium salt of N-(phosphonomethyl)glycine; {Ammonium salt of glyphosate}

Composition

Components	CAS No.	EC No.	EU Index No. / REACH Reg. No. / C&L ID No.	% by weight (approximate)	Classification
Ammonium salt of glyphosate	114370-14-8	933-4405	015-184-00-8 / - / 02-2119694244-33- 0000	75	Aquatic Chronic - Category 2; H411N; R51/53; {b}
Surfactant	61791-26-2	500-153-8	- / - / -	21	Xi; R36; {a}
Sodium sulphite	7757-83-7		- / - / -	<=0.5	
Impurities			- / - / -	3.5	

Full text of classification code: See section 16.

4. FIRST AID MEASURES

Use personal protection recommended in section 8.

Eye contact

Immediately flush with plenty of water.

Continue for at least 15 minutes.

If easy to do, remove contact lenses.

If there are persistent symptoms, obtain medical advice.

Skin contact

Take off contaminated clothing, wristwatch, jewellery.
Wash affected skin with plenty of water.
Wash clothes and clean shoes before re-use.

Inhalation

Remove to fresh air.

Ingestion

Rinse mouth thoroughly with water.
Remove particles from mouth.
Immediately offer water to drink.
Do NOT induce vomiting unless directed by medical personnel.
If symptoms occur, get medical attention.

Advice to doctors

This product is not an inhibitor of cholinesterase.

Antidote

Treatment with atropine and oximes is not indicated.

5. FIRE-FIGHTING MEASURES

Flash point

Not applicable.
Not classified as a flammable solid.

Extinguishing media

Recommended: Water, foam, dry chemical, carbon dioxide (CO₂)

Unusual fire and explosion hazards

Minimise use of water to prevent environmental contamination.
Environmental precautions: see section 6.

Hazardous products of combustion

Carbon monoxide (CO), phosphorus oxides (P_xO_y), nitrogen oxides (NO_x), ammonia (NH₃)

Fire fighting equipment

Self-contained breathing apparatus.
Equipment should be thoroughly decontaminated after use.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protection recommended in section 8.

Environmental precautions

SMALL QUANTITIES:
Low environmental hazard.
LARGE QUANTITIES:
Minimise spread.
Keep out of drains, sewers, ditches and water ways.

Methods for cleaning up

Dig up heavily contaminated soil.
Collect in containers for disposal.
Refer to section 7 for types of containers.
Flush spill area with water.
Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.
Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

7. HANDLING AND STORAGE

Good industrial practice in housekeeping and personal hygiene should be followed.

Handling

- Avoid contact with eyes.
- When using do not eat, drink or smoke.
- Wash hands thoroughly after handling or contact.
- Thoroughly clean equipment after use.
- Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.
- Refer to section 13 of the safety data sheet for disposal of rinse water.
- Wash contaminated clothing before re-use.

Storage

- Compatible materials for storage: stainless steel, fibreglass, plastic, glass lining
- Incompatible materials for storage: galvanised steel, unlined mild steel, see section 10.
- Keep out of reach of children.
- Keep away from food, drink and animal feed.
- Keep only in the original container.
- Keep container off wet floors.
- Keep container dry.
- Minimum shelf life: 2 years.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Airborne exposure limits

Components	Exposure Guidelines
Ammonium salt of glyphosate	No specific occupational exposure limit has been established.
Surfactant	No specific occupational exposure limit has been established.
Sodium sulphite	No specific occupational exposure limit has been established.
Impurities	No specific occupational exposure limit has been established.

Engineering controls

Have eye wash facilities immediately available at locations where eye contact can occur.

Eye protection

- If there is potential for contact:
- Wear dust goggles.

Skin protection

- If repeated or prolonged contact:
- Wear chemical resistant gloves.

Respiratory protection

No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

Colour/colour range:	Whitish - Yellowish
Odour:	Slight, amines
Form:	Granules, (free-flowing), (dust free), (hygroscopic)
Physical form changes (melting, boiling, etc.):	
Melting point:	No data.
Boiling point:	Not applicable.
Flash point:	Not applicable., Not classified as a flammable solid.
Explosive properties:	No explosive properties
Auto ignition temperature:	Does not self-ignite.
Specific gravity:	Not applicable.
Particle size:	700 µm; (granule diameter)
Vapour pressure:	No significant volatility.
Vapour density:	Not applicable.
Evaporation rate:	No data.
Dynamic viscosity:	Not applicable.
Kinematic viscosity:	Not applicable.
Density:	0.70 g/cm ³ ; (tapped bulk density)
Solubility:	Water: Soluble
pH:	4.2 @ 20 °C @ 10 g/l
Partition coefficient:	log Pow: < -3.2 @ 25 °C (glyphosate)

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions of handling and storage.

Oxidizing properties

none

Materials to avoid/Reactivity

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

Hazardous decomposition

Thermal decomposition: Hazardous products of combustion: see section 5.

Self-accelerating decomposition temperature (SADT)

No data.

11. TOXICOLOGICAL INFORMATION

This section is intended for use by toxicologists and other health professionals.

Data obtained on product, similar products and on components are summarized below.

Acute oral toxicity

Rat, LD50: 2,814 mg/kg body weight

Target organs/systems: forestomach, gastro-intestinal tract, kidneys, liver, lung, spleen

Other effects: breathing difficulty, decreased activity, soft stools

Acute dermal toxicity

Rabbit, LD50: > 5,000 mg/kg body weight

Target organs/systems: skin

Other effects: soft stools, decrease of food consumption

Skin irritation

Rabbit, 6 animals, OECD 404 test:

Redness, mean EU score: 0.11

Swelling, mean EU score: 0.00

Days to heal: 3

Eye irritation

Rabbit, 6 animals, OECD 405 test:

Conjunctival redness, mean EU score: 2.00
Conjunctival swelling, mean EU score: 2.50
Corneal opacity, mean EU score: 1.00
Iris lesions, mean EU score: 0.00
Days to heal: > 21
Other effects: tearing of iris, pannus

Skin sensitization

Guinea pig, 3-induction Buehler test:

Positive incidence: 0 %

Analogous liquid formulation

EXPERIENCE WITH HUMAN EXPOSURE

Ingestion, excessive, intentional misuse:

Respiratory effects: pneumonitis (aspiration)

Gastro-intestinal effects: nausea/vomiting, diarrhoea, abdominal pain, bloody vomiting (haematemesis)

Cardiovascular effects: abnormal heart rhythm (cardiac dysrhythmia), decreased heart output (myocardial depression)

General/systemic effects: disturbances of fluid and electrolyte regulation, abnormally decreased blood volume (hypovolaemia), elevated serum amylase, fluid loss (haemoconcentration), no cholinesterase inhibition

Laboratory effects - blood chemistry: elevated serum transaminases, mild acidosis

Eye contact, short term, epidemiological:

Note: No cases of irreversible eye effects could be attributed to glyphosate formulations in an extensive epidemiological survey of reported accidental eye contact with these formulations.

N-(phosphonomethyl)glycine: {glyphosate}

Mutagenicity

In vitro and in vivo mutagenicity test(s):

Not mutagenic.

Repeated dose toxicity

Rabbit, dermal, 21 days:

NOAEL toxicity: > 5,000 mg/kg body weight/day
Target organs/systems: none
Other effects: none

Rat, oral, 3 months:

NOAEL toxicity: > 20,000 mg/kg diet
Target organs/systems: none
Other effects: none

Chronic effects/carcinogenicity

Rat, oral, 24 months:

NOAEL toxicity: ~ 8,000 mg/kg diet
Target organs/systems: eyes
Other effects: decrease of body weight gain, histopathologic effects
NOEL tumour: > 20,000 ppm
Tumours: none

Toxicity to reproduction/fertility

Rat, oral, 2 generations:

NOAEL toxicity: 10,000 ppm
NOAEL reproduction: > 30,000 mg/kg diet
Target organs/systems in parents: none
Other effects in parents: decrease of body weight gain
Target organs/systems in pups: none
Other effects in pups: decrease of body weight gain
Effects on offspring only observed with maternal toxicity.

Developmental toxicity/teratogenicity

Rat, oral, 6 - 19 days of gestation:

NOAEL toxicity: 1,000 mg/kg body weight
NOAEL development: 1,000 mg/kg body weight
Other effects in mother animal: decrease of body weight gain, decrease of survival
Developmental effects: weight loss, post-implantation loss, delayed ossification
Effects on offspring only observed with maternal toxicity.

Rabbit, oral, 6 - 27 days of gestation:

NOAEL toxicity: 175 mg/kg body weight
NOAEL development: 175 mg/kg body weight
Target organs/systems in mother animal: none
Other effects in mother animal: decrease of survival
Developmental effects: none

12. ECOLOGICAL INFORMATION

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on product and components are summarized below.

Aquatic toxicity, fish

Rainbow trout (*Oncorhynchus mykiss*):

Acute toxicity, 96 hours, static, LC50: 20 mg/L

Aquatic toxicity, invertebrates

Water flea (*Daphnia magna*):

Acute toxicity, 48 hours, static, EC50: 42 mg/L

Aquatic toxicity, algae/aquatic plants

Green algae (*Selenastrum capricornutum*):

Acute toxicity, 72 hours, ErC50 (growth rate): 6.0 mg/L

Avian toxicity

Bobwhite quail (*Colinus virginianus*):

Acute oral toxicity, LD50: 1,651 mg/kg body weight

Arthropod toxicity

Honey bee (*Apis mellifera*):

Oral/contact, 48 hours, LD50: > 146 µg/bee

Soil organism toxicity, invertebrates

Earthworm (*Eisenia foetida*):

Acute toxicity, 14 days, LC50: > 1,250 mg/kg dry soil

Soil organism toxicity, microorganisms

Nitrogen and carbon transformation test:

12.7 kg/ha, 28 days: Less than 25% effect on nitrogen or carbon transformation processes in soil.

N-(phosphonomethyl)glycine; {glyphosate}

Avian toxicity

Bobwhite quail (*Colinus virginianus*):

Dietary toxicity, 5 days, LC50: > 4,640 mg/kg diet

Mallard duck (*Anas platyrhynchos*):

Dietary toxicity, 5 days, LC50: > 4,640 mg/kg diet

Bobwhite quail (*Colinus virginianus*):

Acute oral toxicity, single dose, LD50: > 3,851 mg/kg body weight

Bioaccumulation

Bluegill sunfish (*Lepomis macrochirus*):

Whole fish: BCF: < 1

No significant bioaccumulation is expected.

Dissipation

Soil, field:

Half life: 2 - 174 days

Koc: 884 - 60,000 L/kg

Adsorbs strongly to soil.

Water, aerobic:

Half life: < 7 days

13. DISPOSAL CONSIDERATIONS

Product

- Keep out of drains, sewers, ditches and water ways.
- Recycle if appropriate facilities/equipment available.
- Dispose of as hazardous industrial waste.
- Burn in proper incinerator.
- Follow all local/regional/national/international regulations.

Container

- Dispose of as hazardous industrial waste.
- Burn in proper incinerator.
- Recycle if appropriate facilities/equipment available.
- Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.
- Follow all local/regional/national/international regulations.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

ADR/RID

- ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. , (glyphosate, ethoxylated tallowamine)
- UN No.: UN3077
- Class: 9
- Kemler: 90
- Packing Group: III

IMO

- ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. , (glyphosate, ethoxylated tallowamine)
- UN No.: UN3077
- Class: 9
- Packing Group: III

MARINE POLLUTANT

IATA/ICAO

- ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. , (glyphosate, ethoxylated tallowamine)
- UN No.: UN3077
- Class: 9
- Packing Group: III

MARINE POLLUTANT

15. REGULATORY INFORMATION

Other Regulatory Information

- SP1: Do not contaminate water with the product or its container.

Chemical Safety Assessment

- A Chemical Safety Assessment per Regulation (EC) No. 1907/2006 is not required and has not been performed.
- A Risk Assessment has been performed under Directive 91/414/EC.

16. OTHER INFORMATION

The information given here is not necessarily exhaustive but is representative of relevant, reliable data.

Follow all local/regional/national/international regulations.

Please consult supplier if further information is needed.

In this document the British spelling was applied.

|| Significant changes versus previous edition.

This Safety Data Sheet has been prepared following the Regulation (EC) No. 1907/2006 (Annex II) as last amended by Regulation (EC) No. 453/2010

Classification of components

Components	Classification
Ammonium salt of glyphosate	Aquatic Chronic - Category 2 H411 Toxic to aquatic life with long lasting effects. N - Dangerous for the environment R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Surfactant	Xi - Irritant R36 Irritating to eyes.
Sodium sulphite	
Impurities	

Endnotes:

- {a} EU label (manufacturer self-classification)
- {b} EU label (Annex I)
- {c} EU CLP classification (Annex VI)
- {d} EU CLP (manufacturer self-classification)

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), LOEL (Lowest Observed Effect Level), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), NOEC (No Observed Effect Concentration), NOEL (No Observed Effect Level), OEL (Occupational Exposure Limit), PEL (Permissible Exposure Limit), PII (Primary Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), TLV-C (Threshold Limit Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, MONSANTO Company or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will MONSANTO Company or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.

Safety Data Sheet (SDS) Annex

Chemical Safety Report:

Read and follow label instructions.